

## Safety Data Sheet

acc. to OSHA HCS

Printing date 03/22/2021

Reviewed on 03/22/2021

### 1 Identification

- Product identifier
- Trade name: Lotus Ultra ISF NTA-Free
- Article number: 90091515
- Application of the substance / Exterior vehicle cleaner
- Details of the supplier of the safety data sheet
- Manufacturer/Supplier:  
Nextzett GmbH  
An der Höhe 15  
D-51674 Wiehl-Marienhagen  
Deutschland  
Tel: +49 2261 6095433  
Fax: +49 2261 6095429  
Email: [info@nextzett.de](mailto:info@nextzett.de) / [www.nextzett.de](http://www.nextzett.de)
- Information department: Chemtel
- Emergency telephone number: 1-800-255-3924 (USA AND CANADA)

### 2 Hazard(s) identification

- Classification of the substance or mixture



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

- Label elements
- GHS label elements  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



GHS05

- Signal word Danger

- Hazard-determining components of labeling:  
Kokosalkylaminethoxylat  
sodium hydroxide
- Hazard statements  
Causes skin irritation.  
Causes serious eye damage.
- Precautionary statements  
Wash hands thoroughly after handling.  
Wear protective gloves / eye protection / face protection. If  
on skin: Wash with plenty of water.

(Contd. on page 2)

US

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/22/2021

Reviewed on 03/22/2021

Trade name: Lotus Ultra ISF NTA-Free

(Contd. of page 1)

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

Classification system:

· NFPA ratings (scale 0 - 4)



Health = 3  
Fire = 0  
Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = \*3  
Fire = 0  
Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 51981-21-6	Glutaminsäure, N,N-Diessigsäure, Tetranatriumsalz	>10-≤25%
CAS: 112-34-5	2-(2-butoxyethoxy)ethanol	>2.5-<10%
CAS: 102-71-6	Triethanolamine	>2.5-≤10%
CAS: 61791-14-8	Kokosalkylaminethoxylat	≥1-≤2.5%
CAS: 1310-73-2	sodium hydroxide	≥0.5-<2%

· Verordnung (EG) Nr. 648/2004 über Detergenzien / Kennzeichnung der Inhaltsstoffe

non-ionic surfactants, cationic surfactants, anionic surfactants, amphoteric surfactants, polycarboxylates	<5%
allergenic fragrances, perfumes (D-LIMONENE, CITRAL)	

### 4 First-aid measures

· Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

· After inhalation: In case of unconsciousness place patient stably in side position for transportation. · After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor. ·

After swallowing: If symptoms persist consult doctor.

· Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/22/2021

Reviewed on 03/22/2021

Trade name: Lotus Ultra ISF NTA-Free

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available. ·
- Advice for firefighters
- Protective equipment: No special measures required.

### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions:
  - Dilute with plenty of water.
  - Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
  - Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.
  - Dispose contaminated material as waste according to item 13. ·
- Reference to other sections
  - See Section 7 for information on safe handling.
  - See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:

CAS: 112-34-5	2-(2-butoxyethoxy)ethanol	30 ppm
CAS: 102-71-6	Triethanolamine	15 mg/m <sup>3</sup>
CAS: 1310-73-2	sodium hydroxide	0.5 mg/m <sup>3</sup>
CAS: 56-81-5	glycerol	45 mg/m <sup>3</sup>
CAS: 57-55-6	Propylene glycol	30 mg/m <sup>3</sup>
CAS: 5989-27-5	(R)-p-mentha-1,8-diene	15 ppm
CAS: 99-87-6	p-cymene	120 mg/m <sup>3</sup>
CAS: 112-31-2	decanal	1.8 ppm

· PAC-2:

CAS: 112-34-5	2-(2-butoxyethoxy)ethanol	33 ppm
CAS: 102-71-6	Triethanolamine	240 mg/m <sup>3</sup>
CAS: 1310-73-2	sodium hydroxide	5 mg/m <sup>3</sup>
CAS: 56-81-5	glycerol	180 mg/m <sup>3</sup>
CAS: 57-55-6	Propylene glycol	1,300 mg/m <sup>3</sup>
CAS: 5989-27-5	(R)-p-mentha-1,8-diene	67 ppm
CAS: 99-87-6	p-cymene	1,300 mg/m <sup>3</sup>
CAS: 112-31-2	decanal	19 ppm

(Contd. on page 4)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/22/2021

Reviewed on 03/22/2021

Trade name: Lotus Ultra ISF NTA-Free

(Contd. of page 3)

· PAC-3:		
CAS: 112-34-5	2-(2-butoxyethoxy)ethanol	200 ppm
CAS: 102-71-6	Triethanolamine	1,500 mg/m <sup>3</sup>
CAS: 1310-73-2	sodium hydroxide	50 mg/m <sup>3</sup>
CAS: 56-81-5	glycerol	1,100 mg/m <sup>3</sup>
CAS: 57-55-6	Propylene glycol	7,900 mg/m <sup>3</sup>
CAS: 5989-27-5	(R)-p-mentha-1,8-diene	170 ppm
CAS: 99-87-6	p-cymene	1,900 mg/m <sup>3</sup>
CAS: 112-31-2	decanal	120 ppm

### 7 Handling and storage

- Handling:
  - Precautions for safe handling *No special precautions are necessary if used correctly.*
  - Information about protection against explosions and fires: *No special measures required.*
- Conditions for safe storage, including any incompatibilities
- Storage:
  - Requirements to be met by storerooms and receptacles: *No special requirements.*
  - Information about storage in one common storage facility: *Not required.*
  - Further information about storage conditions: *Keep receptacle tightly sealed.*
  - Storage class: 12
  - Specific end use(s) *No further relevant information available.*

### 8 Exposure controls/personal protection

- Additional information about design of technical systems: *No further data; see item 7.*

**Control parameters**

- Components with limit values that require monitoring at the workplace:  
*The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.*  
*At this time, the other constituents have no known exposure limits.*

CAS: 112-34-5 2-(2-butoxyethoxy)ethanol	
TLV	Long-term value: 67.5* mg/m <sup>3</sup> , 10* ppm *Inhalable fraction and vapor
CAS: 102-71-6 Triethanolamine	
TLV	Long-term value: 5 mg/m <sup>3</sup>
CAS: 1310-73-2 sodium hydroxide	
PEL	Long-term value: 2 mg/m <sup>3</sup>
REL	Ceiling limit value: 2 mg/m <sup>3</sup>
TLV	Ceiling limit value: 2 mg/m <sup>3</sup>

- Additional information: *The lists that were valid during the creation were used as basis.*

- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:  
*Keep away from foodstuffs, beverages and feed.*

(Contd. on page 5)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/22/2021

Reviewed on 03/22/2021

Trade name: Lotus Ultra ISF NTA-Free

(Contd. of page 4)

- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the skin.
- Avoid contact with the eyes and skin.
- Breathing equipment: Not required.
- Protection of hands:



Protective gloves

Suitable chemical resistant protective gloves (EN374) also at prolonged, direct contact (recommended protection index 6, corresponding 480 minutes permeation time according to EN 374) e.g. from Nitrilkautschuk (0,33-0,5 mm) Polyvinylchlorid (1mm).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection:



Tightly sealed goggles

- Body protection: Protective work clothing

## 9 Physical and chemical properties

- Information on basic physical and chemical properties ·

### General Information

- Appearance:

Form:	Fluid
Color:	Light yellow
· Odor:	Fruit-like
· Odor threshold:	Not determined.

- pH-value at 20 °C (68 °F): 11.5

- Change in condition

Melting point/Melting range:	4 °C (39.2 °F)
Boiling point/Boiling range:	100 °C (212 °F)

- Flash point: Not applicable.

- Flammability (solid, gaseous): Not applicable.

(Contd. on page 6)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/22/2021

Reviewed on 03/22/2021

Trade name: Lotus Ultra ISF NTA-Free

(Contd. of page 5)

· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density at 20 °C (68 °F):	1.104 g/cm <sup>3</sup> (9.21288 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	4.4 %
VOC content:	3.52-3.54 %
	39.1 g/l / 0.33 lb/gal
Solids content:	19.3 %
· Other information	No further relevant information available.

**10 Stability and reactivity**

- Reactivity No further relevant information available.
- Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

**11 Toxicological information**

- Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral	LD50	9,524 mg/kg
------	------	-------------

CAS: 112-34-5 2-(2-butoxyethoxy)ethanol

Oral	LD50	5,660 mg/kg (rat)
------	------	-------------------

(Contd. on page 7)



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/22/2021

Reviewed on 03/22/2021

Trade name: Lotus Ultra ISF NTA-Free

(Contd. of page 6)

Dermal	LD50	4,000 mg/kg (rabbit)
CAS: 102-71-6 Triethanolamine		
Oral	LD50	8,000 mg/kg (rat)
CAS: 1310-73-2 sodium hydroxide		
Oral	LD50	2,000 mg/kg (rat)
CAS: 96690-44-7 quaternary ammonium compounds, c12-14-alkyltrimethyl, me sulfates		
Oral	LD50	570 mg/kg (rat)
Dermal	LD50	429 mg/kg (rabbit)
CAS: 308062-28-4 Amines, C12-14 (even numbered)- alkyltrimethyl, n-oxides		
Oral	LD50	1,064 mg/kg (rat)
CAS: 61790-85-0 Amines, n-tallow alkyltrimethylenedi-, ethoxylated		
Oral	LD50	500 mg/kg (rat)

- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 102-71-6	Triethanolamine	3
CAS: 5989-27-5	(R)-p-mentha-1,8-diene	3

· NTP (National Toxicology Program)

CAS: 93-08-3	Methyl beta-naphthyl ketone	R
--------------	-----------------------------	---

· OSHA-Ca (Occupational Safety & Health Administration) None

of the ingredients is listed.

## 12 Ecological information

- Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability  
The surfactants contained in the product correspond to the legislation on the environmental compatibility of detergents and are biodegradable.
- Behavior in environmental systems:
- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:  
Water hazard class 2 (Self-assessment): hazardous for water  
Do not allow product to reach ground water, water course or sewage system.  
Must not reach bodies of water or drainage ditch undiluted or unneutralized.

(Contd. on page 8)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/22/2021

Reviewed on 03/22/2021

Trade name: Lotus Ultra ISF NTA-Free

(Contd. of page 7)

Danger to drinking water if even small quantities leak into the ground.  
Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

### 13 Disposal considerations

- Waste treatment methods
- Recommendation:  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

### 14 Transport information

- UN-Number
- DOT, IMDG, IATA not regulated
- UN proper shipping name
- DOT, IMDG, IATA not regulated
- Transport hazard class(es)
- DOT, ADN, IMDG, IATA
- Class not regulated
- Packing group
- DOT, IMDG, IATA not regulated
- Environmental hazards: Not applicable.
- Special precautions for user Not applicable.
- Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.
- UN "Model Regulation": not regulated

### 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 112-34-5 2-(2-butoxyethoxy)ethanol

(Contd. on page 9)



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/22/2021

Reviewed on 03/22/2021

Trade name: Lotus Ultra ISF NTA-Free

(Contd. of page 8)

· TSCA (Toxic Substances Control Act):		
CAS: 7732-18-5	water, distilled, conductivity or of similar purity	ACTIVE
CAS: 51981-21-6	Glutaminsäure, N,N-Diessigsäure, Tetranatriumsalz	ACTIVE
CAS: 112-34-5	2-(2-butoxyethoxy)ethanol	ACTIVE
CAS: 102-71-6	Triethanolamine	ACTIVE
CAS: 61791-14-8	Kokosalkylaminethoxylat	ACTIVE
CAS: 1310-73-2	sodium hydroxide	ACTIVE
CAS: 56-81-5	glycerol	ACTIVE
CAS: 53563-70-5	Poly(oxy-1,2-ethanediyl), .alpha.-(carboxymethyl)-.omega.-(octyloxy)- (4-11 EO)	ACTIVE
CAS: 61790-85-0	Amines, n-tallow alkyltrimethylenedi-, ethoxylated	ACTIVE
CAS: 57-55-6	Propylene glycol	ACTIVE
CAS: 78330-20-8	C10 Fettalkoholpolyglykolether 7 EO	ACTIVE
CAS: 5989-27-5	(R)-p-mentha-1,8-diene	ACTIVE
CAS: 98-55-5	alpha-Terpineol	ACTIVE
CAS: 99-87-6	p-cymene	ACTIVE
CAS: 103-95-7	2-Methyl-3-(p-isopropylphenyl)propionaldehyde	ACTIVE
CAS: 1222-05-5	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	ACTIVE
CAS: 8046-19-3	Styrax Coeur	ACTIVE
CAS: 68855-99-2	Litsea cubeba oil	ACTIVE
CAS: 5392-40-5	Citral	ACTIVE
CAS: 106-24-1	Geraniol	ACTIVE
CAS: 107-75-5	Hydroxycitronellal	ACTIVE
CAS: 106-22-9	dl-Citronellol	ACTIVE
CAS: 93-08-3	Methyl beta-naphthyl ketone	ACTIVE
CAS: 112-31-2	decanal	ACTIVE
CAS: 78-70-6	Linalool	ACTIVE

· Hazardous Air Pollutants		
CAS: 93-08-3	Methyl beta-naphthyl ketone	

· Proposition 65

· Chemicals known to cause cancer:  
None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:  
None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)  
None of the ingredients is listed.

(Contd. on page 10)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/22/2021

Reviewed on 03/22/2021

Trade name: Lotus Ultra ISF NTA-Free

(Contd. of page 9)

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



GHS05

· Signal word *Danger*

· Hazard-determining components of labeling:  
*Kokosalkylaminethoxylat*

*sodium hydroxide*

· Hazard statements

*Causes skin irritation.*

*Causes serious eye damage.*

· Precautionary statements

*Wash hands thoroughly after handling.*

*Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water.*

*If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*

*Immediately call a poison center/doctor.*

*Specific treatment (see on this label).*

*Take off contaminated clothing and wash it before reuse.*

*If skin irritation occurs: Get medical advice/attention.*

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

**16 Other information**

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· Contact:

· Date of preparation / last revision 03/22/2021 / -

· Abbreviations and acronyms:

*ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*DOT: US Department of Transportation*

*IATA: International Air Transport Association*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*NFPA: National Fire Protection Association (USA)*

*HMIS: Hazardous Materials Identification System (USA)*

*VOC: Volatile Organic Compounds (USA, EU)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

(Contd. on page 11)



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/22/2021

Reviewed on 03/22/2021

Trade name: Lotus Ultra ISF NTA-Free

(Contd. of page 10)

NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
Skin Irrit. 2: Skin corrosion/irritation - Category 2  
Eye Dam. 1: Serious eye damage/eye irritation - Category 1  
· \* Data compared to the previous version altered.

US